Genuine Accessories



Vehicle Model MULTIPLE

Rev. Date 2/6/2018

Model Year	Multiple
Part No.	Multiple
	Multiple - Hook Style Mat
Language	English

Accessory: Carpeted Floor Mats

Difficulty: (A)

Note: Difficulty stated above reflects the minimum level of expertise required to install the accessory:

- (A) Customer
- (B) Dealer Technician
- (C) Master Technician or Specialist

Denotes personal protective equipment (PPEs) that

may be required for a step. Examples of safety

equipment icons noted below:

Instructional Symbols / Definitions



Denotes warnings that may lead to serious physical injury or vehicle damage



Denotes quality processes to be checked prior to moving to the next step

Denotes specific tools that are necessary











Hearing Protection

Denotes cautions to be taken to avoid physical injury or electronic component





Denotes important information to be reviewed during the step

to complete a step

Basic Required Tools



Part Weight (Gross)

Weight information is located on Part Number I abel.

FMVSS 110 Compliance Information

All dealers must determine if the weight they have added in the form of all options or accessories, when added to the weight of all Port/Dealer Installed options or accessories, exceeds the lesser of 1.5% of GVWR or 100 lbs. If the additional weight does exceed the lesser of the indicated thresholds, a "Load Carrying Capacity Reduced" label must be installed. A black, fine-point, indelible marker must be used to write by hand onto the label, the reduced carrying capacity in kilograms or pounds, which is the total weight of all added options and accessories

oad Label Part Number: NP070 - 09003




Warning! Ensure that the Carpeted Floor Mats are securely attached to the vehicle's floor mat anchor(s) before driving the vehicle. This keeps the Carpeted Floor Mats from sliding forward. If the Carpeted Floor Mat slips and interferes with the movement of the pedals during driving, it may cause an accident.

Do not put an additional Floor Mat on top of the anchored Carpeted Floor Mat, otherwise the additional mat may slide forward and interfere with the movement of the pedals.

Notes to the installer:

- Dealer must clearly advise customer of installation method.
- Before installing, verify and identify all parts.
- Remove vinyl factory covering from carpeted areas before installation.
- Sliding driver and passenger seats to furthest rearward position provides better access to install front mats properly.
- When removing mats, be sure to hold grommet and mat at the same time, then pull forward.

Genuine Accessories



^{*} Shape and quantity of Carpeted Floor Mats will vary with each vehicle application.

Genuine Accessories

