

Vehic	M ما٠	odel:	MIII	TIPI	F

Model Year Multiple Part No. Multiple

Language English Rev. Date 6/20/2018

### Accessory: All-Season Fitted Liners

Difficulty: (A)

Note: Difficulty stated above reflects the minimum level of expertise required to install the accessory:

- (A) Customer
- (B) Dealer Technician
- (C) Master Technician or Specialist


#### Instructional Symbols / Definitions



Denotes warnings that may lead to serious physical injury or vehicle damage

Denotes cautions to be taken to avoid

physical injury or electronic component



Denotes quality processes to be checked prior to moving to the next step

Denotes specific tools that are necessary to complete a step

O T

Denotes important information to be reviewed during the step

may be required for a step. Examples of safety equipment icons noted below:









Hearing Protection



Denotes cautions to be taken to avoid vehicle and component damage

**Basic Required Tools** 



#### Part Weight (Gross)

Weight information is located on Part Number Label.

#### FMVSS 110 Compliance Information

All dealers must determine if the Net weight they have added in the form of all options or accessories, when added to the weight of all Port/Dealer Installed options or accessories, exceeds the lesser of 1.5% of GVWR or 100 lbs. If the additional weight does exceed the lesser of the indicated thresholds, a "Load Carrying Capacity Reduced" label must be installed. A black, fine-point, indelible marker must be used to write by hand onto the label, the reduced carrying capacity in kilograms or pounds, which is the total weight of all added options and accessories.

Load Label Part Number: NP070 - 09003




Warning! Ensure that each All-Season Fitted Liner is securely attached to the vehicle's floor mat anchor(s) before driving the vehicle. This helps keep the All-Season Fitted Liner from sliding forward. If the All-Season Fitted Liner slips and interferes with the movement of the pedals during driving, it may cause an accident.

Do not put an additional Floor Liner/Mat on top of the anchored All-Season Fitted Liner, otherwise the additional Liner/Mat may slide forward and interfere with the movement of the pedals.


# Notes to the installer:


- 1) Dealer must clearly advise customer of installation method.
- 2) Before installing, verify and identify all parts.
- 3) Remove vinyl factory covering from carpeted areas before installation.
- 4) Sliding driver and passenger seats to furthest rearward position provides better access to install front All-Season Fitted Liners properly.
- 5) When removing mats or liners, be sure to hold grommet and mat/liner at the same time, then pull rearward to unhook.




No.	Qty	Description	
1	4*	All-Season Fitted Liners	

<sup>\*</sup> Shape and quantity of All-Season Fitted Liners will vary with each vehicle application.







## Visual Check

# Item to be Checked

Result



Make sure the accelerator and brake pedals are not interfering with the fitted liner.

Make sure each fitted liner is securely fastened to the vehicle floor with each retention hook.

No interference with accelerator and brake pedals.	
Each liner is properly attached to each retention hook.	
,	

Care & Cleaning

Cleaning Instructions for:

MULTIPLE

**All-Season Fitted Liners** 

Each All-Season Fitted Liner can easily be cleaned using a vacuum, soft cloth, or soft brush.

To remove excess dirt, use water with a mild detergent to clean the liner. Do not use bleach or alcohol to clean the liner or the liner may become damaged or discolored.

Dry the liner with a soft cloth or place the liner in a well ventilated area to dry before reinstalling. If the liner is installed before it is completely dry, it could become moldy or emit an abnormal smell.

Do not place the liner on the ground where it is in direct contact with the sun, or the liner could deform from high temperatures.

Do not use a washing machine or automatic mat cleaner to clean the liner. The liner could become damaged and/or deformed.